

FLOS

F3176059 Brass

IC Lights S2

Designed by Michael Anastassiades, 2014



Halogen - 205W

Suspension lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Iicos	HSGS
Number of heads	1
Power (W)	205

Physical

Colour	Brass
Length (mm)	300
Cord length (mm)	2700
Canopy dimension (mm)	32
Canopy width (mm)	113
Net weight (kg)	2.95
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.1
IP internal	20



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

Photometric Files


[LDT / IES](#) LDT

Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



Schematic light drawing



Luminous flux Luminaire
1252 lm

Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K
Dimmable



NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38
Dimmable



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | IC Lights 2 diffuser for brass version | F3137059 |
| 02. | S1/S2 brass ceiling rose assembly | RF3170359 |
| 03. | Kit with screws and allen key | RF3160100 |
| 04. | E27 lamp holder assembly | RF3160200 |

DOWNLOAD



F3137059
IC Lights 2 diffuser for brass
version



RF3170359
S1/S2 brass ceiling rose assembly



RF3160100
Kit with screws and allen key



RF3160200
E27 lamp holder assembly