

# FLOS

F3299009 White

## Lampadina

Designed by Achille Castiglioni, 1972



LED retrofit - 5W - 241lm - 2700K

Table lamp providing direct, diffused light. Anodized aluminum base serves to contain excess power cord. Bakelite lamp-holder, painted to match the switch in the orange and black colors. Clear globe lamp is partially sandblasted to diffuse the light.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

|                   |                     |
|-------------------|---------------------|
| EAN               | 8059607033289       |
| Mounting          | Table               |
| Environments      | Indoor dry location |
| Light Source Type | Bulb                |
| Lamp category     | LED retrofit        |
| Lamp type         | G125                |
| Lamp holders      | E27                 |
| Bulb finish       | Semifrosted         |
| Number of heads   | 1                   |
| Power (W)         | 5                   |
| System flux (lm)  | 241                 |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | White |
| Length (mm)         | 125   |
| Cord length (mm)    | 2300  |
| Net weight (kg)     | 0.35  |
| Package height (mm) | 250   |
| Package width (mm)  | 140   |
| Package length (mm) | 145   |
| Package volume (m3) | 0.01  |
| IP internal         | 20    |



### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



## Schematic light drawing



Luminous flux luminaire  
241 lm

### Photometric

|                    |            |
|--------------------|------------|
| Lighting type      | Total      |
| Light distribution | Asymmetric |
| CCT (K)            | 2700       |

### Electrical

|                      |                                  |
|----------------------|----------------------------------|
| Insulation class     | II                               |
| Frequency (Hz)       | 50/60                            |
| Main voltage (Vac)   | 230                              |
| LED voltage Vf (Vdc) | null                             |
| Dimmable             | No                               |
| Dimming interface    | Switch Integrated (Not Dimmable) |
| Plug type            | Type C                           |
| Batteries inside     | No                               |

## Bulbs



### INCLUDED

RF32797

LED Lamp 2W 1m E27 230V

2700K G125 Regulable