



## LOGIC 40 R A MOON 93015 INOX

13958 9310 INOX

BESCHIKBAAR IN  
INOX 13958 9310 INOX



 [Bekijk op website](#)

### Algemene info

<b>LOCATIE</b>	buiten
<b>INSTALLATIE</b>	Vloer Inbouw
<b>ZAAGMAAT/OPENING (MM)</b>	rond - 43
<b>INBOUWDIEPTE (MM)</b>	70
<b>STOF EN WATERDICHTHEID</b>	IP67
<b>IK</b>	IK08
<b>GEWICHT (KG)</b>	0.4
<b>RICHTBAARHEID</b>	niet richtbaar
<b>INFO</b>	REFLECTOR SP-15° INCL.1 x CABLE H05 RN-F 2 x 1mm <sup>2</sup> 0,5m EXCL.LED POWER SUPPLY 350mA-DC IEC 60598-2-13 : max.150kg 25N/cm <sup>2</sup> ESG 6mm

### Elektrische info

<b>KLASSE</b>	III
<b>DIM TYPE</b>	afhankelijk van de te kiezen externe voeding
<b>ENERGIE KLASSE</b>	F
<b>CERTIFICATEN</b>	CB, ENEC

### Info lichtbron

<b>LIGHTSOURCE NAME</b>	LED
<b>LICHTBRON</b>	LED array 3,9W / CRI>90 (R9: 55) / 3000K / 385lm
<b>TM-30-15 WAARDEN</b>	Rf: 92 / Rg: 98
<b>SDCM</b>	SDCM2
<b>RISK-GROEP</b>	RG2 (threshold 0,6m)
<b>LM80</b>	L90B10 > 41000
<b>LED TECHNIEK (LICHTBRON)</b>	385lm // 3,9W // 98lm/W
<b>LED TECHNIEK (TOESTEL)</b>	85lm // 4W // 19lm/W

### Benodigheden

LED POWER SUPPLY 350mA-DC DIM

## **LOGIC 40 R A MOON 93015 INOX**

13958 9310 INOX

---

### **Opties**

LOGIC 40 BOX R

CBOX

IP68 CONNECTION KIT

IP68 CONNECTOR 3P

Voor gedetailleerde montage gegevens, consulteer de handleiding: [13958\\_XXX0\\_HAND.pdf](#)


# LOGIC 40 R A MOON 93015 INOX

13958 9310 INOX

## VERVOLLEDIG UW SPECIFICATIE


### LED voedingen

#




**300 90 63** LED POWER SUPPLY MULTI-POWER DIM9

1->6(6)



**300 90 68** LED POWER SUPPLY MULTI-POWER DIM5

1->4(3)



**300 90 69** LED POWER SUPPLY MULTI-POWER HV DIM9

3->9(9)




**300 90 124** LED POWER SUPPLY MULTI-POWER DIM7

2->4(3)




**300 90 125** LED POWER SUPPLY MULTI-POWER MINI DIM5

2->4(3)




**21012 0010** LED POWER SUPPLY MULTI POWER

2->3




**21012 0021** LED POWER SUPPLY MULTI POWER DIM1

2->4



**21012 0035** LED POWER SUPPLY MULTI POWER DIM5

2->4




**21012 005W** LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->4


# LOGIC 40 R A MOON 93015 INOX

13958 9310 INOX




**21012 0258** LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

2->2




**21012 0268** LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

3->3



**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8


1->3



**21032 0295** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1->3

## Grond montage dozen




**13910 0010** LOGIC 40 BOX R


## Waterdichte doorverbindingen



**216 12 00** CBOX



**216 12 01** IP68 CONNECTION KIT



**216 12 02** IP68 CONNECTOR 3P



## **LOGIC 40 R A MOON 93015 INOX**

13958 9310 INOX

Notes: